

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS FO Box 1430 Alexandria, Virginia 22313-1450 www.tepto.gov

10537,713 06003/2005 Torben Sogaard-Andersen 814 28765 7590 WINSTON & STRAWN LLLP PATENT DEPARTMENT	Y DOCKET NO. 21-4045	CONFIRMATION NO 5142
28765 7590 07/14/2008 WINSTON & STRAWN LLP PATENT DEPARTMENT	21-4045	5142
WINSTON & STRAWN LLP PATENT DEPARTMENT		
PATENT DEPARTMENT	EXA	MINER
	GHERBI, SUZETTE JAIME J	
1700 K STREET, N.W. WASHINGTON, DC 20006	T UNIT	PAPER NUMBER
	3738	
	II. DATE	DELIVERY MODE
07/	LDAIE	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

SUPPLEMENTAL Notice of Allowability

Application No.	Applicant(s)		
10/537,713	SOGAARD-ANDERSEN, TORBEN		
Examiner	Art Unit		
SUZETTE I GHERBI	3738		

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- This communication is responsive to the after final amendment filed 3/3/08.
- The allowed claim(s) is/are 13,14 and 16-30.
- 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - b) ☐ Some* c) ☐ None of the: a) X All
 - 1. A Certified copies of the priority documents have been received.
 - 2. Certified copies of the priority documents have been received in Application No.
 - 3.
 ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

6.

DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1. | Notice of References Cited (PTO-892)
- 2. Notice of Draftperson's Patent Drawing Review (PTO-948)
- Information Disclosure Statements (PTO/SB/08).
- Paper No./Mail Date 4. T Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 5. Notice of Informal Patent Application
- Interview Summary (PTO-413), Paper No./Mail Date
- 7. X Examiner's Amendment/Comment
- Examiner's Statement of Reasons for Allowance
- Other <u>Corrected filing response</u>.

/Suzette J Gherbi/ Primary Examiner, Art Unit 3738 Application/Control Number: 10/537,713

Art Unit: 3738

SUPPLEMENTAL OFFICE ACTION

In view of the papers filed 6/9/08, it has been found that this nonprovisional application, as filed, through error and without deceptive intent, improperly set forth the inventorship, and accordingly, this application has been corrected in compliance with 37 CFR 1.48(a). The inventorship of this application has been changed by "PCT/IL03/02889" to "PCT/IB03/02889.

The application will be forwarded to the Office of Initial Patent Examination (OIPE) for issuance of a corrected filing receipt, and correction of Office records to reflect the inventorship as corrected.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Allen Fanucci on 7/8/08.

The application has been amended as follows:

Page 3

Application/Control Number: 10/537,713

Art Unit: 3738

[0147] As with the previous embodiments, the ureteral stent 100C may include any number of extension members 114C extending from the proximal end portion 106C of elongate member 102C. For example, Figures 8A, 8B, and 8C all illustrate embodiments of ureteral stent 100C having four extension members. Figure 8D illustrates an embodiment of ureteral stent 100C' having three extension members. Figures 8E and 9B illustrate embodiments of ureteral stent 100C" having two extension members. In addition, the extension members maybe formed in a variety of different shapes and sizes. For example, Figure 8A illustrates an embodiment of ureteral stent 100C having extension members 114C. Figures 8B and 8D illustrate embodiments of a ureteral stent having extension members 114C1. Figures 8C and 8E illustrate further embodiments of a ureteral stent having extension members 114C". Figure 9B illustrates a ureteral stent having extension members 114C". The extension members 114C-114C" may be formed monolithically with the elongate member as described above for the previous embodiments. Specifically, in one embodiment, the elongate member is split to form the extension members. As shown, for example, in Figures 8A-8E and 9B, the extension members 114C-114C''' can define multiple openings in a wall of the elongate member, and the openings can be disposed at a distance from a proximal end of the elongate member. In addition, in one embodiment, the extension members 114C-114C"" are homogenously constructed and have a solid cross-section as shown for extension members 114C""in Figure 9C. The solid cross-section extends from the proximal end to the distal end of each of the extension members 114C-114C"".

Application/Control Number: 10/537,713

Art Unit: 3738

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SUZETTE J. GHERBI whose telephone number is (571)272-4751. The examiner can normally be reached on Maxi-flex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Suzette J Gherbi/ Primary Examiner, Art Unit 3738 07/08/08